



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

HOSPITAL BEDS

Two-Crank ABS Hospital Bed:

(Code: 2CRANK)

- Banded with punching holes bed board
- 5 bars aluminium alloy siderails Two cranks bed
- Metal steel foldable crank
- Infusion pole
- PP headboard & foot board
- Independent locking casters
- Mattress: 8cm thickness with waterproof cover
- Load capacity: 250kg



2 Crank Full Steel Bed:

(Code: 2CrankStl)

- Carbon steel bed board
- Steel side rails
- Metal steel foldable crank
- Load capacity: 250kg
- Steel headboard & foot board
- Independent locking casters
- Infusion pole
- Includes 4 section mattress



3 Crank Abs Hospital Bed With Mattress & Driprod:

(Code: 3Crank)

- Height: 400 – 700mm
- Bed Board Size: 1980x900mm
- Back Up: 0 – 85* Leg Up: 0 – 45*
- Forward & Backward Tilting
- Load Capacity: 250kg
- High quality aluminium alloy composite headboard.
- Overall punching cold carbon steel board which is stable and reliable.
- High-quality aluminium alloy foldable side rail.
- ABS silent caster with independent locking device.
- Equipped with 60*60mm high quality pushing screws with stainless steel foldable cranks.





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

3 Function Electric ICU Bed:

(Code: 3FE)

- Head & foot board: PP
- Casters: independent locking casters
- Mattress: 8 cm thickness 32D inner core with PU cover
- Siderails: 5 bars aluminium alloy
- motor: Jieshun/Jiechang
- infusion pole: stainless steel with 4 Hooks



5 Function Electric ICU Bed:

(Code: 5FE)

- Outer Size: 2060*1000*400-700mm
- Bed board: overall punching, carbon steel
- Casters: central locking system double sides casters
- Remote controller
- Head & Foot Board: ABS compound type with fender wheels
- Load Capacity: 250kg
- Siderails: 4 pcs ABS with angle gauge
- Motor: Jiechang/Jieshun motor
- Infusion Pole: stainless steel with 4 Hooks
- Mattress: 8 cm thickness 32D inner core with PU cover



5 Function Manual Bed:

(Code: 5FM)

- Overall punching bed board
- ABS headboard & foot board
- ABS siderails
- double sides independent locking casters
- ABS foldable crank
- Mattress: 8cm 32D high density sponge inner PU cover mattress
- Stainless steel infusion pole
- Load capacity: 250kg
- Outer Size: 2060*1000*400-700mm
- Load Capacity: 250kg





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

283 Rotsvygie Street
la Montagne. Pretoria
0184

Std Hospital Bed:

Code: HR01

- Standard hospital bed



- With wheels & drip-stand.

Examination Bed:

(Code: Eb01)

- Stainless steel back examination bed
- The angle adjusted back and maximum adjustment range is $70^{\circ} \pm 5^{\circ}$
- Above the ground 430mm, which is convenient for clinical inspection operation and sanitation



- Specification: 1900x650x780mm
- The load-bearing weight of the bed is ≥ 200 kg without deformation
- The structure of the whole bed is detachable, and convenient for installation, transportation and maintenance

Examination Couch:

(Code: EXC1)

- Frame: Powder coated steel



- Function: Back up, Ratchet backrest.



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotwygie Street
la Montagne. Pretoria
0184

4 Section Mattresses:

(Code: 4SDX)



- 4 Section Oxford covered mattress with zips
- 1980x915x100mm

Gynecological Bed:

(Code: Gb01)



- The table can be divided into 2 parts, foot with anti-noise rubber
- Stainless steel frame, high quality sponge top with artificial leather cover
- Three sections, back rest, knee rest function
- Specification: 1800*600*850mm
- With 8cm Waterproof Mattress

Gynaecological Examination Bed:

(Code: GB02)



- Bed board size: 1660*590*800mm
- The bed frame is made of high-quality carbon steel square tubes, and the main frame and legs of the bed are welded by 25x25x1.0mm square tubes, which are welded firmly and smoothly.
- The bottom of the bed is made of high-quality multi-layer solid wood composite board, and the top is covered with high-density sponge, and the high-quality leather surface is outside, which is soft and comfortable.



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

283 Rotsvygie Street
la Montagne. Pretoria
0184

Baby Bed:

(Code: Bb01)

- Material: Full Stainless steel
- Colour: Blue
- Full length side rails With IV pole
- 4pcs of castor
- Usage: It is suitable for new-borns in hospitals, infants, children, and sleep.



- Size: 70*45*90cm
- Mattress (thickness is OEM)
- Two hooks With Mosquito Net Bar
- Safe Load: 50 Kgs

Stainless Steel Baby Carriage:

(Code: BCSS)

- Bassinet Trolley Complete
- Material: Stainless Steel



- Includes Iv Pole

Abs Baby Carriage:

(Code: ABSBC)

- ABS Bassinet Trolley (Complete)



- Height adjustable



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

TROLLEYS

Clinic Trolley:

(Code: Ct01)

- Specification: 660x440x860mm
- The four column adopts $\Phi 22 \times 1.0$ pipe which is welded firmly and beautifully
- Silent rubber casters are used at the bottom easy and stable to implement, flexible steering quiet and silent when moving, and good shock absorption



- Made of high quality stainless steel materials
- Available in sizes: SMALL, MEDIUM, LARGE.
- Strengthening support rods are added at the bottom of the layer book to ensure safe and reliable loading

Emergency Trolley:

(Code: Et01)

- ABS rescue vehicle/emergency vehicle parameters
- Suitable for medical staff to give first aid to patients
- ABS double bottom injection moulding process to form the table, recessed design can prevent items from falling, 304 stainless steel three-sided fence, the table is equipped with transparent soft glass, a sharp tool box
- Back: Cardiopulmonary resuscitation board, oxygen cylinder holder, power cord socket
- Left side: assistant working desk, one data box
- Right side: two dirt buckets, four luxury silent casters, (two with brake function, two without brake) anti-curling hair



- Car body specification: 750*480*920mm
- The main body is composed of aluminium, steel and ABS new material engineering structure, four-column load bearing
- Front: Central lock, three-fold silent track, five drawers, two small drawers, (height is 7 cm), two middle drawers, (height is 12 cm,) one large drawer, (height is 25 Cm). There are 3*3 compartments in each drawer, which can be separated freely. Each drawer tray can be taken out for easy cleaning. There is a defibrillator platform on the table and an infusion stand.



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

Anaesthesia Trolley:

(Code: At01)



- Parameters of single-row anaesthesia cart:
Car body size: 750*480*920
- Front: Central lock, three-fold silent track, designed with 5 drawers, two small drawers (height is 7 cm) two middle drawers. (Height is 12 cm), one large drawer (height is 24 Cm), there are 3*3 compartments and 16 small compartments in each drawer, which can be separated freely. The table is equipped with a single row of five anaesthesia boxes for medicine use, and the anaesthesia box bracket can be raised and lowered to adjust the height
- Suitable for medical staff to give first aid to patients
- ABS double bottom injection moulding process to form the table, recessed design can prevent items from falling, 304 stainless steel three-sided fence, the table is equipped with transparent soft glass
- The main body is composed of aluminium, steel and ABS new material engineering structure, four-column load-bearing
- Left side: equipped with assistant working desk
- Right side: two trash cans, luxurious silent casters, (two with brakes, two without brakes) anti-curling hair

Patient Monitor Trolley:

(Code: PM01-2)



- Packaging dimensions: 800*800*200mm
- 5 wheel base
- Accessory basket
- Weight: 6kg
- Mounting plate

One Drawer Anaesthetic Trolley:

(Code: 1DT)



- 1 drawer
- Stainless steel
- Size: 60x40x86cm



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

Two Drawer Anaesthetic Trolley:

(Code: 2DT)

- Stainless Steel
- Two Drawers



- Size 80*48*86cm

Dressing Trolley

(Code: Dt01)

- Stainless Steel



- Size 60*40*86

Oxygen Trolley:

(Code: O2T)

- Double Bottle Oxygen Trolley



40l Oxygen Trolley:

(Code: OT-40)

- Material: steel
- Colour: white



- Capacity: 40L single bottle



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

TABLES

ABS Overbed Table:

(Code: OBT01)

- Luxury ABS bedside table
- One: The desktop is made of ABS material;
- Two: The air-controlled lifting device can adjust the height at will according to personal needs and preferences
- Three: 4 2.5-inch casters with brakes, which can move the position at will and make the docking more stable
- Four: The column and base are made of high-precision seamless steel pipes, with rust removal on the surface, electrostatic spraying, high-grade environmental protection spray, durable, beautiful and generous; each weigh about 18 kilograms
- Dimensions: The liftable table top is 82 cm long, 45 cm wide, and 3.3 cm thick; foot size: 81.8x48.5x11 cm, the overall height of the lift can be adjusted between 79-105 cm



Adjustable Bed Table:

(Code: Gb01)

- Overbed table
- Manual Hi/Low Adjustment
- Epoxy



Overbed Table:

(Code: SSOBT)

- Overbed table
- Cantilever
- Wooden top
- Stainless steel frame





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

STEPS

One Step:

(Code: 1STP)

- Single step



- Stainless steel

Two Step:

(Code: 2STP)

- Double step
- Stainless steel



- Rubber top

WHEELS CHAIRS

Commode Wheelchair:

(Code: WCC)

- Size: 110*66*87cm
- Front wheel: PU 8"
- Rear wheel: PU 24"



- Seat width: 45cm
- Load capacity: 100kg
- Cushion material: breathable oxford



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

283 Rotsvygie Street
la Montagne, Pretoria
0184

Electric Wheelchair:

(Code: FWC01)

- Size: 118*63*90cm
- Front Wheel: 10"
- Rear Wheel: 16"
- Seat Width: 45cm
- Weight: 47kg (Battery Included)



- Load Capacity: 100kg
- Motor: 500w
- Endurance: 15-20km
- Battery: 12ah 24v
- Frame Material: Carbon Steel

Luxury Electric Wheelchair:

(Code: EW02)

- Size: 118*63*93cm
- Front Wheel: 10"
- Rear Wheel: 16"
- Seat Width: 45cm
- Weight: 47kg (Battery Included)



- Load Capacity: 100kg
- Motor: 500w
- Endurance: 15-20km
- Battery: 12ah 24v
- Frame Material: Carbon Steel

DISABILITY AIDS

STD Pulpit Walker:

(Code: PW01)

- Material: stainless steel
- Main pipe diameter: 22mm



- Diameter of bottom adjusting tube: 25mm



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

Pulpit Walker With Wheels:

(Code: PW02)

- Material: stainless steel
- Main pipe diameter: 22mm
- Diameter of bottom adjusting tube: 25mm
- Two wheels



Elbow Crutches:

(Code: EC01)

- Lightweight Elbow crutch
- Sold as a pair



DRIP STAND

Mobile Drip-stands:

(Code: MD01)

- 5 wheel base
- Drip hooks





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne. Pretoria
0184

MONITORS

Patient Monitor:

(Code: PM01)

- Model: YK-8000C
- Dimensions: 380*350*300mm
- Gross Weight: 6kg
- 12.1-inch display
- Resolution: 800*600
- At most 8 waveforms display
- >60 mins working display
- Alarm indicator
- Working indicator
- Battery charge state indicator



Digital Blood Pressure Monitor:

(Code: BM01)

- Display mode: LCD digital display
- Weight: 410g (exclude batteries)
- Dimensions: 130x98x58mm
- Accessories: cuff band, product manual
- Power supply: USB DC 5v or 4 pcs AAA Batteries
- Memory: 2*99 (for two users, each user 99 times memories)



Fetal Doppler:

(Code: Fd01)

- Ultrasound frequency: 2MHz/2.5MHz/3MHz
- Ultrasound intensity: <math><10\text{mW}/\text{cm}^2</math>
- Power supply: 2pcs 1.5V AA battery 2pcs DC Ni-MH rechargeable battery AC 220/110V. 50/60Hz (for D and L)
- FHR Measuring range: 50-240bpm
- FHR resolution: 1bpm
- FHR accuracy: +1bpm





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

Blood Pressure Meter Deluxe Mercurial Desk:

(Code: MRP1)



- Glass tube: 3.0 mm (+/- 0.2mm)
- Measure scope: 0300 mmHg
- Accuracy: +/- 3mmHg
- Sub-division: 2mmHg
- Aluminium Alloy case
- Case weight: 615-660 grams
- Colour available: grey, blue
- Standard Cotton/PVC Cuff
- Standard Latex Bulb
- Standard Valves
- 2-tube Adult size bladder
- Latex tube with connector
- The iron casting case shall be strong with tight connection of each part
- The glass shall be clear, transparent Without obvious defect
- One graduation is adopted: mmHg, minimum for the reading is 2mmHg
- The top of mercury post should be close to Zero position when the internal of Mercury Container is aired. Difference allowance is ± 3.75 mmHg
- Measuring results difference allowed is ± 3.75 mmHg

Aneroid Blood Pressure Monitor:

(Code: ABPM)



- Blood pressure value ± 0.4 kpa (± 3 mmHg)
- Pulse number reading value $\pm 5\%$
- Measurement Of Arm Circumference 22-32cm
- Storage temperature: $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
- Storage humidity: $<95\%$
- Operating temperature: $10^{\circ}\text{C} \sim 40^{\circ}\text{C}$
- Operating humidity: $<85\%$
- Blood pressure 0 ~ 300mmHg (0 ~ 37.3kpa)
- Pulse rate 22 ~ 35 times/ min

OXYGEN CONCENTRATORS

5L Medical Grade oxygen Concentrator:

(Code: RK-05A)



- Adjustable flowrate : 1L - 5L
- 93% oxygen purity
- Nebulizer Function
- 48 hours continuous oxygen supply



EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

7L Oxygen Concentrator:

(Code: OC-02)

- Flow rate: 1-7L/ min
- Oxygen Purity: 90% ~ 30%
- Weight: 5.8kg



STRETCHER

Self-Loading Ambulance Stretcher:

(CODE: OC-02)

- This Self-Loading Ambulance Stretcher is:
- Manufactured from aluminium alloy
- Extremely light, with excellent rigidity and support
- High density foam mattress with PVC covering
- Broad wheel design makes uneven terrain easier to navigate
- Self-loading
- Automatic locking



Hospital Transfer Stretcher:

(Code: TS-02)

- Luxury ABS Patient trolley
- Specification: 1930*640*500/900mm
- Packing size: 1970*730*670mm
- net weight: 75KG
- gross weight: 102KG





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotsvygie Street
la Montagne, Pretoria
0184

2 Fold Stretcher:

(Code: 2FLD)

- Double Fold Aluminium stretcher
- Includes carrier bag
- Orange



4 Fold Stretcher:

(Code: 4FLD)

- 4 Fold aluminium stretcher
- Includes carrier bag
- Orange



HOSPITAL FURNITURE

ABS Bedside Locker:

(Code: ABSBL)



Infusion Chair:

(Code: IC-01)

- Hospital Recliner Infusion Chair with IV Pole





EMS Pharmaceutical Distribution (pty) Ltd

Reg nr. 2012/161001/07 VAT: 4440279828

Tel: +2712 803 1985
Fax: +2712 803 5360

285 Rotwygie Street
la Montagne, Pretoria
0184

STETHOSCOPES

Doctor Stethoscope - Dual Head:

(Code: DHS1)



Nurse Stethoscope - Single Head:

(CODE: SHS1)

